

D2001
D-2001 Ultra Premium Mastic Series

Revision Date 24-Jun-2016 Supersedes Date: No information available

Version 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name D-2001 Ultra Premium Mastic Series

Product Code D2001

Product(s) Covered See section 16 for more information

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended use Adhesives.

Uses Advised Against No information available

1.3. Details of the Supplier of the Safety Data Sheet

Company Name

Bostik, Inc.

11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA

Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International)

Fax: +1 (414) 774-8075 Email: msds@bostik-us.com

1.4. Emergency Telephone Number

Emergency Telephone Telephone: 1-800-227-0332

(Outside U.S.) 1-703-527-3887

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the Substance or Mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200

2.2. Label Elements

EMERGENCY OVERVIEW

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Appearance No information available Physical State Liquid Odor No information available

Precautionary Statements - Prevention

Not applicable

Precautionary Statements - Response

Not applicable

D2001
D-2001 Ultra Premium Mastic Series

Revision Date 24-Jun-2016
Supersedes Date: No information available

Version 1

¥C(3)011

Precautionary Statements - Storage

Not applicable

Precautionary Statements - Disposal

Not applicable

Hazards Not Otherwise Classified (HNOC)

Not applicable

Unknown Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

2.3. Other Information

No information available.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical Name	CAS No	Weight-%
Limestone	1317-65-3	40 - 70
Quartz	14808-60-7	1 - 5

The exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

General Advice If symptoms persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do

not rub affected area. If eye irritation persists: Get medical advice/attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. In the case of skin

irritation or allergic reactions see a physician.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting without

medical advice. If symptoms persist, call a physician.

Self-protection of the First Aider Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms No information available.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

4.4. Reference to Other Sections

D2001 Revision Date 24-Jun-2016
D-2001 Ultra Premium Mastic Series Supersedes Date: No information available

Version 1

Reference to Other Sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 11: TOXICOLOGY INFORMATION

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO2). Foam. Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

None known.

5.2. Special Hazards Arising from the Substance or Mixture

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous Combustion

Products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge None.

5.3. Advice for Firefighters

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Evacuate personnel to safe areas. Use personal protection recommended in Section 8.

6.2. Environmental Precautions

Environmental Precautions Keep people away from and upwind of spill/leak.

6.3. Methods and Material for Containment and Cleaning up

Methods for Containment Stop leak if you can do it without risk.

Methods for Cleaning up

Use personal protective equipment as required. Cover liquid spill with sand, earth or other

non-combustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Sweep up and shovel into suitable containers for disposal. Soak up with inert absorbent material. Dam up. Pick up and transfer to properly labeled containers. Take precautionary measures against static discharges. Clean contaminated surface

thoroughly.

6.4. Reference to other sections

Reference to Other Sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

D2001 D-2001 Ultra Premium Mastic Series Revision Date 24-Jun-2016

Supersedes Date: No information available

Version 1

Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Advice on Safe Handling Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Handle in

accordance with good industrial hygiene and safety practice. Do not reuse container.

7.2. Conditions for Safe Storage, including any Incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Keep from freezing.

Incompatible Materials No information available.

7.3. Specific End Use(s)

Other Information No information available.

7.4. References to Other Sections

Reference to Other Sections Section 13: DISPOSAL CONSIDERATIONS

Section 10: STABILITY AND REACTIVITY

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

Exposure GuidelinesThe components of this product are inextricably bound in a polymer matrix and are not expected to be available as airborne hazards (dust, mist, or spray) under normal condition

of use.

- 1	Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
	Limestone	-	TWA: 10 mg/m ³ total dust	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³
	1317-65-3		TWA: 5 mg/m ³ respirable	TWA: 5 mg/m³ respirable	STEL: 20 mg/m ³
			dust	fraction	
	Quartz	TWA: 0.025 mg/m ³	IDLH: 50 mg/m³ respirable	: (30)/(%SiO2 + 2) mg/m ³	TWA: 0.1 mg/m ³
	14808-60-7	respirable fraction	dust	TWA total dust	
			TWA: 0.05 mg/m ³	: (250)/(%SiO2 + 5) mppcf	
			respirable dust	TWA respirable fraction	
				: (10)/(%SiO2 + 2) mg/m ³	
				TWA respirable fraction	

Chemical Name	Argentina	Brazil	Chile	Venezuela
Limestone 1317-65-3	TWA: 10 mg/m ³	-	TWA: 8 mg/m ³	-
Quartz 14808-60-7	TWA: 0.05 mg/m ³	-	TWA: 0.08 mg/m ³	TWA: 0.025 mg/m ³

8.2. Exposure Controls

areas. Use explosion-proof ventilating equipment.

Personal protective equipment [PPE]

Eye/Face Protection Wear safety glasses with side shields (or goggles). Avoid contact with eyes.

Skin and Body Protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

D2001
D-2001 Ultra Premium Mastic Series

Revision Date 24-Jun-2016 Supersedes Date: No information available

Version 1

depend on the material, but also on further marks of quality and various manufacturers.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations When using do not eat, drink or smoke. Regular cleaning of equipment, work area and

clothing is recommended. Avoid contact with skin, eyes or clothing. Wash hands thoroughly

Not applicable for liquids

after handling. Keep away from food, drink and animal feeding stuffs.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State Liquid Color White

Odor No information available Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 8.4

Melting Point/Freezing PointNo information availableBoiling PointNo information availableFlash Point> 93.3 °C / > 200 °FEvaporation RateNo information availableFlammability (solid, gas)No information available

Flammability Limit in Air

Upper Flammability Limit
Lower Flammability Limit
Vapor Pressure
Vapor Density
Specific Gravity
Water Solubility

No information available

Solubility in Other Solvents

Partition CoefficientNo information availableAutoignition TemperatureNo information availableDecomposition TemperatureNo information availableKinematic ViscosityNo information available

Dynamic ViscosityNo information availableExplosive PropertiesNo information availableOxidizing PropertiesNo information available

9.2. Other Information

Softening Point
Molecular Weight
Solvent Content (%)
No information available
No information available
No information available

 Solid Content (%)
 76

 Density
 1.350 g/ml

 VOC
 1 g/L

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical Stability

D2001
D-2001 Ultra Premium Mastic Series

Revision Date 24-Jun-2016
Supersedes Date: No information available

Version 1

Stable under normal conditions.

10.3. Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization None known.

10.4. Conditions to Avoid

Extremes of temperature and direct sunlight. Keep from freezing.

10.5. Incompatible Materials

No information available.

10.6. Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on Toxicological Effects

Product InformationNo Data AvailableInhalationNo Data AvailableEye contactNo Data AvailableSkin ContactNo Data AvailableIngestionNo Data Available

Component Information

Chronic Toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Limestone	>5000 mg/kg (rat)	-	-
1317-65-3			
Quartz 14808-60-7	>2000 mg/kg (Rat)	-	-

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

No information available.

No information available. **Symptoms** Skin Corrosion/Irritation No information available. Serious Eye Damage/Eye Irritation No information available. Irritation No information available. Corrosivity No information available. No information available. Sensitization No information available. **Germ Cell Mutagenicity** No information available. **Reproductive Toxicity** No information available. **Developmental Toxicity** Teratogenicity No information available. **STOT - Single Exposure** No information available. **STOT - Repeated Exposure** No information available.

Target Organ Effects Eyes, Respiratory system, Skin, Lungs.

Aspiration Hazard No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

As Quartz (14808-60-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses.

D2001
D-2001 Ultra Premium Mastic Series

Revision Date 24-Jun-2016 Supersedes Date: No information available

Version 1

Chemical Name	ACGIH	IARC	NTP	OSHA
Quartz	A2	Group 1	Known	X
14808-60-7				

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to	Crustacea
			Microorganisms	
Limestone	CE50 (72h) >200mg/L Algae	CL50 (96h)>10000mg/L Fish		CE50 (48h) >1000 mg/L
1317-65-3	(Desmondesmus	(Oncorhynchus mykiss)		Daphnia Magna
	subspicatus)			

12.2. Persistence and Degradability

No information available.

12.3. Bioaccumulative Potential

No information available.

12.4. Mobility in Soil

No information available.

12.5 Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Disposal of Wastes It is the responsibility of the waste generator to determine the toxicity and physical

properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations

Contaminated Packaging Dispose of in accordance with federal, state and local regulations

Section 14: TRANSPORTATION INFORMATION

Note: Keep from freezing

DOT Not regulated

D2001 D-2001 Ultra Premium Mastic Series Revision Date 24-Jun-2016

Supersedes Date: No information available

Version 1

IATA Not regulated

IMDG Not regulated

Section 15: REGULATORY INFORMATION

Global Inventories

TSCA	Listed
DSL	Not Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

Non-controlled

United States of America

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

California Proposition 65

This product contains one or more of the substances listed on Proposition 65 at or above 0.01 wt. %

Chemical Name	CAS No
Quartz	14808-60-7
Cellulose	9004-34-6
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	68515-49-1

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No.

D2001
D-2001 Ultra Premium Mastic Series

Revision Date 24-Jun-2016 Supersedes Date: No information available

Version 1

4007/2000 (PEACH) Article FO)

1907/2006 (REACH), Article 59)

Section 16: OTHER INFORMATION

Product(s) Covered

D70UP2 D-2001 ULTRA PREMPP3.5GL/P48 D71UP2 D-2001 ULTRA PREM PP1GL/C4

Health Hazards 1 Flammability 1 Physical Hazards 0 Personal Protection X

Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet

No information available

Key Literature References and Sources for Data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date 24-Jun-2016

Revision Note Not applicable.

Training Advice No information available

Additional information No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet