SAFETY DATA SHEET

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

Manufacturer's name and address: Supplier's name and address: Refer to Manufacturer ARDEX Engineered Cements 400 Ardex Park Dr. Aliquippa, PA 15001 USA Information Telephone No. : (724) 203-5000 : CHEM-TEL: 1-800-255-3924 OR 1-813-248-0585 (call collect) 24 Hr Emergency Telephone # : ARDEX P 51[™] Primer Product Identifier Chemical Name Chemical Formula` Chemical Family : N/Ap : Mixture : ARDEX P 51 Molecular Weight : N/Ap Trade Name/Synonyms Product Code Number : Primer for porous substrates : N/Ap Material Use 70011741 before applying ARDEX products. 2 **Uses Advised Against** : No information available. SECTION 2 – HAZARDS IDENTIFICATION GHS Classification per 29 CFR 1910.1200 (OSHA HCS 2012) and HPR (WHMIS 2015) Not classified as hazardous. **GHS Pictograms** None. Signal Word None. **Hazard Statements** None. Safe Handling Instructions: Avoid eye and skin contact. It is recommended to use safety glasses and gloves during handling. During installation process, adequate ventilation of the work area should be maintained. Although the adhesive is low VOC, persons who are sensitive to odors or chemicals should avoid the work area during installation. Keep container closed. Hazards Not Otherwise Classified None.

% With Unknown Acute Toxicity

Less than 1% by weight of this product is comprised of ingredients with unknown acute toxicity.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients		CAS #	% (by weight)
No hazardous ingredients:			
	SECTION 4 – FIRST AID MEASURI	ES	
General	: Call a doctor if you feel unwell.		

Inhalation

: If a worker develops breathing problems while working with this material, remove the worker to fresh air and keep at rest in a position comfortable for breathing.

ARDEX P 51 [™] Primer 29-Sep-2017	Page 2 of 6
Skin contact	: Wash with plenty of soap and water. If irritations or symptoms develop, seek medical attention/advice.
Eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
Ingestion	: Rinse mouth. Do NOT induce vomiting. Call a doctor/physician if you feel unwell.
Notes for Physician	: Treat symptomatically.
Signs and symptoms of short	t-term (acute) exposure
Inhalation	: None known.
Skin	: Symptoms may include mild redness or itching.
Eyes	: Symptoms may include mild redness, itching, or pain.
Ingestion	: None known.
Effects of long-term (chronic)	exposure
	: None known.
Indication of need for immediat	e medical attention or special treatment
	: Difficulty breathing persists after removing the person to fresh air.
	Any exposure to the eye which causes irritation.
	SECTION 5 – FIRE FIGHTING MEASURES

Suitable extinguishing media	Carbon dioxide, dry chemical powder, alcohol foam or water spray.	
Unsuitable extinguishing media	Water jet may spread the burning material.	
Hazardous combustion products	Carbon monoxide, carbon dioxide, as well as other toxic vapors and gases are common to thermal degradation of organic compounds.	which
Special fire-fighting procedures/eq	oment	
	Firefighters should wear proper protective equipment and self-contained be apparatus with full face piece operated in positive pressure mode. Move co from fire area if safe to do so. Water spray may be useful in cooling equipm exposed to heat and flame. After fires have been extinguished, carefully cl equipment and surfaces exposed to fumes.	ontainers nent
Environmental precautions	Do not allow material to enter drains or contaminate ground water system.	
Fire hazards/conditions of flammat	ty	
	Not flammable under normal conditions of use. Closed containers may rup exposed to excess heat or flame due to a build-up of internal pressure.	oture if
Flammability classification (OSHA	CFR 1910.1200, WHMIS 2015)	
	Not flammable.	
NFPA Rating	0 - Minimal 1 – Slight 2 – Moderate 3 – Serious 4 – Severe	
	Health: 1 Flammability 1 Instability 0 Special Hazards: Non	е

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal precautions	: Restrict access to area until completion of clean-up. All persons dealing with clean-up should wear the appropriate chemically protective equipment.
Protective equipment	: Refer to Section 8 on this Safety Data Sheet, EXPOSURE CONTROLS / PERSONAL PROTECTION, for additional information on acceptable personal protective equipment.
Emergency Procedures	: If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8002). Outside of the U.S. call the emergency number listed in Section 1.
	US CERCLA Reportable quantity (RQ): None reported.
Methods and materials for containr	nent and cleaning up
	· Ventilate area of release. Stop spill or leak at source if safely possible. Contain

: Ventilate area of release. Stop spill or leak at source if safely possible. Contain product with inert absorbent material, preventing it from entering sewer lines or waterways. Gather up spilled material and place in suitable container for later

Reference to other sections	: See Section 13 for disposal information.
Environmental precautions	: Do not allow product to enter drains or waterways. Do not allow material to contaminate ground water system.
Prohibited materials	: None known.
	disposal (see Section 13). Residual of product, while still wet, can be cleaned up with warm soapy water. Notify the appropriate authorities as required.

SECTION 7 – HANDLING AND STORAGE

Safe handling procedures	:	Wear suitable protective equipment during handling. (See Section 8.) Observe good hygiene standards. Use only with adequate ventilation. Wash thoroughly after handling. Avoid contact with eyes, skin, or clothing. Keep container tightly closed.
Storage requirements	:	Store in a cool, dry, well-ventilated area. Store away from heat and open flame. Avoid storing in direct sunlight. Store in original container. Keep tightly closed when not in use. Do not reuse empty container without commercial cleaning or reconditioning.
Incompatible materials	:	See Section 10.
Special packaging materials	:	Always keep in containers made of the same materials as the supply container.

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Permissible Exposure Limits		ure limits have bee		for the produ	ct itself. Below	are exposure
Ingredients		CAS #	ACGI	H TLV	OSH	IA PEL
			TWA	STEL	PEL	STEL
No hazardous ingredients		N/Ap	N/Ap	N/Ap	N/Ap	N/Ap
Engineering Controls	recomme	ral or local exhau nded exposure lir f any vapor gener	nits. Ventilat	ion should ef	fectively remov	
Personal Protection Equipment						
Eye / face protection	: Chemical	goggles or safety	/ glasses, as	appropriate f	or the job.	
Skin protection		ves which are imp fluorocarbon rubb			laterials such a	s nitrile rubber
Body protection		: Where extensive exposure to product is possible, use resistant coveralls, apron and boots to prevent contact.				
Respiratory protection	should no	rmal conditions of ot be necessary. If r exposures in ex	f work proces	s generates	excessive quai	ntities of vapor
Site safety equipment	: An eyewa working a	ash station and sa area.	fety shower s	should be ma	ade available in	the immediate
General hygiene considerations	drink or s thoroughl	ntact with eyes, sk moke when using y. Remove soiled nt and clothing at	this product. clothing and	Upon compl wash it thore	letion of work,	wash hands

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	Liquid	Appearance	:	Light pink liquid
Odor	:	Slightly sweet	Odor threshold	:	N/Av
рН	:	7.6 – 8.2	Specific gravity	:	1.036
Boiling point	:	>100°C (212°F)	Coefficient of water/oil distribution	:	N/Av
Melting/Freezing point	:	N/Av	Solubility in water	:	Miscible
Vapor pressure (mm Hg @ 20°C / 68°F)	:	N/Av	Evaporation rate (n-Butyl acetate = 1)	:	N/Av
Vapor density (Air = 1)	:	N/Av	Volatiles (% by weight)	:	55 – 60% (includes water)

ARDEX P 51[™] Primer 29-Sep-2017

Volatile organic compounds (VOCs)	:	19.3 g/L SCAQMD		
Particle size	:	N/Av Flammability classification	:	Not flammable
Flash point	:	>93.3°C (>200°F) Lower flammable limit (% by vol)	:	Not available
Flash point method	:	Setaflash closed Upper flammable limit (% by vol)	:	Not available
Auto-ignition temperature	:	N/Av Decomposition temperature	:	Not available
Viscosity	:	N/Av Oxidizing properties	:	Not available
Explosion data: Sensitivity to mechanical impact / static discharge				

: Not expected to be sensitive to mechanical impact or static discharge.

SECTION 10 – REACTIVITY AND STABILITY INFORMATION

Reactivity	Not reactive.	
•	Stable under the recommended storage and handling conditions prescribed.	
•	Hazardous polymerization does not occur.	
Conditions to avoid	Extreme heat.	
Materials to avoid and incompatibility		
	Strong oxidizing agents.	
Hazardous decomposition products		

: None known, refer to hazardous combustion products in Section 5.

SECTION 11 – TOXICOLOGICAL INFORMATION

Routes of exposure	: Inhalation: YES	Skin Absorption: NO	Skin and Eyes: Yes	Ingestion: YES
Symptoms of exposure	: See Section 4.			
Calculated Acute Toxicity Estim	ates for the Product			
Inhalation	: > 40 mg/L			
Oral	: > 10000 mg/kg			
Dermal	: > 4000 mg/kg			
Toxicological data	: No data exists for the data.	product itself. See belo	ow for individual ingree	dient acute toxicity
	LC50 (4 hr)		LD50	
Ingredients	Inhalation, rat	Oral, rat	Der	mal, rabbit
No hazardous ingredients.	N/Av	N/Av		N/Av

Skin corrosion or irritation	: May cause mild irritation to skin.
Serious eye damage / eye irritation	: May cause mild, temporary irritation to eyes.
Respiratory or skin sensitization	: None known.
Germ cell mutagenicity	: None known.
Carcinogenic status	: No components are classified as carcinogenic by IARC, ACGIH, NTP, or OSHA.
Reproductive toxicity	: None known.
Specific Target Organ Toxicity, Single	e Exposure
	: None known.
Specific Target Organ Toxicity, Repe	ated Exposure
	: None known.
Aspiration hazard	: None known.
Additional information	: N/Av

SECTION 12 – ECOLOGICAL INFORMATION

Environmental effects

: The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

Ecotoxicity	:	No data available.
Biodegradability	:	No data available.
Bioaccumulative potential	:	No data available.
Mobility in soil	:	No data available.
PBT and vPvB assessment	:	No data available.
Other adverse effects	:	No data available.

SECTION 13 – DISPOSAL CONSIDERATION

• .	 Handle waste according to recommendations in Section 7. You must test your waste using methods described in 40 CFR Part 261 to determine if it meets applicable definitions of hazardous wastes. Dispose in accordance with all applicable federal, state, provincial and local regulations. Contact your local, state, provincial or federal environmental agency for specific rules.
Packaging	Handle contaminated packaging in the same manner as the product.
RCRA	If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

SECTION 14 – TRANSPORTATION INFORMATION

Regulatory Information	UN Number	Shipping Name	Class	Packing Group	Label
TDG	None	This product is not regulated according to Canadian TDG regulations.	None	None	None
TDG Additional Information	None				
49 CFR/DOT	None	This product is not regulated according to US DOT regulations.	None	None	None
49 CFR/DOT	None			•	

SECTION 15 – REGULATORY INFORMATION

Canadian Information:

This product has been classified according to the hazard criteria of the Hazardous Products Regulations (HPR). This SDS contains all of the information required by the HPR.

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on either the Domestic Substances List (DSL) or the Non- Domestic Substances List (NDSL).

US Federal Information:

TSCA: All ingredients appear on the Toxic Substances Control Act (TSCA) inventory.

CERCLA Reportable Quantity (RQ) (40 CFR 117.302): None reported.

SARA TITLE III: Sec. 302, Extremely Hazardous Substances, 40 CFR 355: No Extremely Hazardous Substances are present in this material.

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classification: Not Hazardous.

SARA TITLE III: Sec. 313, Toxic Chemicals Notification, 40 CFR 372: This product is not subject to SARA notification requirements, since it does not contain any Toxic Chemical constituents above *de minimus* concentrations.

U.S. State Right To Know Laws

California Proposition 65: WARNING: This product contains a chemical known to the State of California to cause cancer or reproductive harm.

Other State Right to Know Laws: Not applicable.

	SECTION 16 – OTHER INFORMATION
HMIS Rating	: <u>*</u> - Chronic Hazard 0 - Minimal 1 – Slight 2 – Moderate 3 – Serious 4 – Severe Health: 1 Flammability 1 Physical Hazard 0 PPE: Gloves, safety glasses
Legend	 ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstract Services CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980 CFR: Code of Federal Regulations DOT: Department of Transportation DSL: Domestic Substances List EPA: Environmental Protection Agency GHS: Globally Harmonized System HPR: Hazardous Products Regulations IARC: International Agency for Research on Cancer Inh: Inhalation N/Av: Not Available N/Ap: Not Applicable NIOSH: National Institute of Occupational Safety and Health NTP: National Toxicology Program OSHA: Occupational Safety and Health Administration PEL: Permissible exposure limit RCRA: Resource Conservation and Recovery Act SARA: Superfund Amendments and Reauthorization Act STEL: Short Term Exposure Limit TDG: Canadian Transportation of Dangerous Goods Act & Regulations TLV: Threshold Limit Values TSCA: Toxic Substance Control Act TWA: Time Weighted Average WHMIS: Workplace Hazardous Materials Identification System
	Disclaimer of Liability

The Information presented herein is supplied as a guide to those who handle or use this product and has been prepared in good faith by technically knowledgeable personnel. It is not intended to be all-inclusive. The manner and conditions of use and handling may involve other and additional considerations. Safe work practices must be employed when working with any materials. It is important that the end user makes a determination regarding the adequacy of the safety procedures employed during the use of this product.

No warranty of any kind is given or implied. ARDEX Engineered Cements will not be liable for any damages, losses, injuries or consequential damages which may result from the use or reliance on any information contained herein.

Prepared By: ARDEX Engineered Cements 400 Ardex Park Drive Aliquippa, PA, U.S.A. 15001

(724) 203-5000 Visit our Website: http://www.ardexamericas.com

Revision date:

: 29-Sep-2017

End of Document