

ICC-ES Report

PMG-1248

ICC-ES | (800) 423-6587 | (562) 699-0543 | www.icc-es.org

Reissued 06/2017
This report is subject to renewal 06/2018

EVALUATION SUBJECT:

LIQUID WATERPROOF MEMBRANE

DIVISION:

22 00 00—PLUMBING

SECTION:

22 40 00—PLUMBING FIXTURES (SHOWER PAN LINER)

DIVISION:

09 00 00—FINISHES

SECTION:

09 30 00—TILING

Report Holder:

ARC, INC.

7 TIFF AVENUE
NEILLSVILLE, WI 54456



Look for the ICC-ES marks of Conformity!



ICC-ES PMG Product Certificate

PMG-1248

Effective Date: June 2017

This listing is subject to re-examination in one year.



www.icc-es-pmg.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

CSI: DIVISION: 22 00 00—PLUMBING
Section: 22 40 00—Plumbing Fixtures (Shower Pan Liner)

DIVISION: 09 00 00— FINISHES
Section: 09 30 00—Tiling

Product certification system:

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier's quality system.

Product: Liquid Waterproof Membrane

Listee: ARC, Inc
7 Tiff Avenue
Neillsville, WI 54456
www.arcfirst.net

Additional Listee:

GreenSeel Products Company, LLC
8 Little Bear Circle
Middleton, WI 53562
www.greenseelproducts.com

Compliance with the following codes:

2015, 2012, 2009 and 2006 *International Residential Code*® (IRC)
2015, 2012, 2009 and 2006 *International Plumbing Code*® (IPC)
2015, 2012, 2009 and 2006 *Uniform Plumbing Code*® (UPC)*
2015, 2010 and 2005 *National Plumbing Code of Canada*® (NPC)**

* Copyrighted publication of the International Association of Plumbing and Mechanical Officials

** Copyrighted publication of National Research Council Canada

Compliance with the following standard:

ANSI A118.10-2014 American National Standard Specification for Load Bearing, Bonded, Waterproof Membranes for Thin-Set Ceramic Tile and Dimension Stone Installation
ICC-ES AC 115-2016 Acceptance Criteria for Waterproof membranes for Flooring and Shower Lining

Identification:

Each container and packaging shall be clearly labelled. The label shall include at a minimum the manufacturer's name or trademark as well as the ICC-ES PMG certification mark.

Installation:

The Waterproof Membrane shall be installed in accordance with the manufacturer's published instructions and the applicable code(s).

Ceramic tile must comply with ANSI A137.1. Drains shall comply with ASME A112.6.3 or ASME A112.18.2/CSA B125.2 (latest edition) as applicable.

Models:

Waterproof Membrane: Ready to use liquid latex waterproofing membrane applied with brush, roller or trowel for interior use.

Sealing Tape: Composite sheet membrane comprised of an inner layer of polyethylene between two outer layers of polypropylene nonwovens

Conditions of Listing:

1. Application is limited to use as shower sub-pans or lining for showers or tub surrounds in steam rooms and steam showers, bathrooms and commercial and residential kitchens, backsplashes on walls and floors in wet areas.
2. Product is manufactured in Lynchburg, Virginia under a quality control program with annual surveillance inspections by ICC-ES.

