

Agua Mix Enrich-n-Seal

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: Aqua Mix Enrich-n-Seal

Product Use: Sealer.

Manufacturer/Supplier: Custom Building Products

13001 Seal Beach Blvd Seal Beach, CA 90740

Phone Number: (562) 598-8808

Emergency Phone: INFOTRAC 1-800-535-5053 (US and Canada)

INTERNATIONAL + 1-352-323-3500

Date of Preparation: November 23, 2008 **Revision Date:** December 21, 2012

Section 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

WARNING

FLAMMABLE. HARMFUL IF SWALLOWED. MAY CAUSE EYE IRRITATION. MAY CAUSE SKIN IRRITATION.

Potential Health Effects: See Section 11 for more information.

Likely Routes of Exposure: Skin contact, eye contact, inhalation, and ingestion.

Eye: May cause eye irritation.

Skin: May cause skin irritation.

Ingestion: Harmful if swallowed. May cause stomach distress, nausea or vomiting.

Inhalation: May cause respiratory tract irritation.

Chronic Effects: Prolonged or repeated contact may dry skin and cause irritation.

Signs and Symptoms: Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. Symptoms may include redness, edema, drying, de-fatting and cracking of the skin. Vapours may cause drowsiness and dizziness.

Medical Conditions Aggravated By Exposure: Asthma. Allergies.

Target Organs: Skin, eyes, gastrointestinal tract, respiratory system.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Potential Environmental Effects: May cause long-term adverse effects in the aquatic environment. See Section 12 for more information.

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	CAS#	Wt. %
Triethoxyoctylsilane	2943-75-1	7 - 13
Hexyltrimethoxysilane	3069-19-0	3 - 7
Titanium tetrabutanolate	5593-70-4	1 - 5
Methyl alcohol	67-56-1	1 - 5
n-Butyl alcohol	71-36-3	0.1 - 1



Agua Mix Enrich-n-Seal

Section 4: FIRST AID MEASURES

Eye Contact: In case of contact, immediately flush eyes with plenty of water. If easy to do,

remove contact lenses, if worn.

Skin Contact: In case of contact, immediately flush skin with plenty of water. Remove

contaminated clothing and shoes. Wash clothing before reuse. Call a physician

if irritation develops and persists.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If

breathing is difficult, give oxygen.

Ingestion: If swallowed, do NOT induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person.

General Advice: In case of accident or if you feel unwell, seek medical advice immediately

(show the label or MSDS where possible).

Note to Physicians: Symptoms may not appear immediately.

Section 5: FIRE FIGHTING MEASURES

Flammability: Flammable by WHMIS/OSHA criteria.

Means of Extinction:

Suitable Extinguishing Media: Powder, foam, carbon dioxide.

Unsuitable Extinguishing Media: Water.

Products of Combustion: May include, and are not limited to: oxides of carbon, formaldehyde

(temperatures >150°C (>300°F)).

Explosion Data:

Sensitivity to Mechanical Impact: Not available.

Sensitivity to Static Discharge: Not available.

Protection of Firefighters: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker

gear) and respiratory protection (SCBA).

Section 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.

Environmental Precautions: Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.

Methods for Containment: Contain and/or absorb spill, then place in a suitable container.

Methods for Clean-Up: Soak into absorbent material. Spills of this material are a slipping

hazard. Thoroughly wash the area with water after a spill or leak.

Other Information: Not available.

Section 7: HANDLING AND STORAGE

Handling:

Keep away from sources of ignition. No smoking. Avoid contact with skin and eyes. Do not swallow. Do not breathe gas/fumes/vapor/spray. Use only in well-ventilated areas. Handle and open container with care. When using do not eat or drink. Wash hands before eating, drinking, or smoking.



Agua Mix Enrich-n-Seal

Storage:

Keep out of the reach of children. Keep container tightly closed. Store in a cool place.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Exposure Limits Ingredient OSHA-PEL **ACGIH-TLV** Triethoxyoctylsilane Not available. Not available. Hexyltrimethoxysilane Not available. Not available. Titanium tetrabutanolate Not available. Not available. Methyl alcohol 200 ppm 200 ppm n-Butyl alcohol 50 ppm 100 ppm

Engineering Controls: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

Personal Protective Equipment:

Eye/Face Protection: Wear eye/face protection.

Hand Protection: Wear suitable gloves.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment.

General Hygiene Considerations: Handle according to established industrial hygiene and

safety practices.

Odor Threshold:

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Not available.

Not available.

Clear. Appearance: Color: Colorless.

Odor: Low odor.

Physical State: Liquid.

pH: Not available. Not available. Viscosity: Freezing Point: Not available.

Boiling Point: Not available.

Flash Point: ~ 20°C (~ 68°F).

Evaporation Rate: Not available. **Lower Flammability Limit:**

Upper Flammability Limit: Not available. Not available. **Vapor Pressure:**

Vapor Density: Not available.

Relative Density: ~ 1 g/mL Solubility in Water: Negligible.

Coefficient of Water/Oil Distribution: Not available.



Agua Mix Enrich-n-Seal

Auto-ignition Temperature: Not available.

Percent Volatile, wt. %: 20 %.

VOC content: 193 g/L.

Section 10: STABILITY AND REACTIVITY

Stability: Stable under normal storage conditions. Keep in a cool place.

Conditions of Reactivity: Heat. Incompatible materials.

Incompatible Materials: Acids. Bases. Oxidizers.

Hazardous Decomposition Products: May include, and are not limited to: oxides of carbon,

formaldehyde (temperatures >150°C (>300°F)).

Possibility of Hazardous Reactions: No dangerous reaction known under conditions of normal use.

Section 11: TOXICOLOGY INFORMATION

EFFECTS OF ACUTE EXPOSURE

Component Analysis

Ingredient	LD ₅₀ (oral)	LC ₅₀
Triethoxyoctylsilane	10060 μL/kg, rat	Not available.
Hexyltrimethoxysilane	Not available.	Not available.
Titanium tetrabutanolate	3122 mg/kg, rat	Not available.
		83.2 mg/L 4hr, rat;
Methyl alcohol	5628 mg/kg, rat	64000ppm 4hr, rat
n-Butyl alcohol	790 mg/kg, rat	Not available.

Eye: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking

and tear production, with marked redness and swelling of the conjunctiva.

Skin: May cause skin irritation. Symptoms may include redness, edema, drying, de-

fatting and cracking of the skin.

Ingestion: Harmful if swallowed. May cause stomach distress, nausea or vomiting.

Inhalation: May cause respiratory tract irritation. Vapours may cause drowsiness and dizziness.

EFFECTS OF CHRONIC EXPOSURE

Target Organs: Not available.

Chronic Effects: May cause adverse liver, kidney, CNS and blood system effects.

Carcinogenicity: Not hazardous by WHMIS/OSHA criteria.

Ingredient Chemical Listed as Carcinogen or Potential Carcinogen *

Triethoxyoctylsilane Not listed.
Hexyltrimethoxysilane Not listed.
Titanium tetrabutanolate Not listed.
Methyl alcohol Not listed.
n-Butyl alcohol Not listed.

Mutagenicity: Not hazardous by WHMIS/OSHA criteria.

Reproductive Effects: Not hazardous by WHMIS/OSHA criteria.

^{*} See Section 15 for more information.



Aqua Mix Enrich-n-Seal

Developmental Effects:

Teratogenicity: Hazardous by WHMIS/OSHA criteria. **Embryotoxicity:** Hazardous by WHMIS/OSHA criteria.

Respiratory Sensitization: Not hazardous by WHMIS/OSHA criteria.

Skin Sensitization: Not hazardous by WHMIS/OSHA criteria.

Toxicologically Synergistic Materials: Not available.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity: May cause long-term adverse effects in the aquatic environment.

Persistence / Degradability: Not available.

Bioaccumulation / Accumulation: Not available.

Mobility in Environment: Not available.

Section 13: DISPOSAL CONSIDERATIONS

Disposal Instructions:

This material must be disposed of in accordance with all local, state, provincial, and federal regulations.

Section 14: TRANSPORTATION INFORMATION

DOT Ground Classification

UN1993, Flammable Liquid, n.o.s. (Triethoxyoctylsilane, Hexyltrimethoxysilane), Class 3, PG II Limited Quantity (≤ 1L)

TDG Ground Classification

UN1993, Flammable Liquid, n.o.s. (Triethoxyoctylsilane, Hexyltrimethoxysilane), Class 3, PG II Limited Quantity (≤ 1L)

IATA Classification

UN1993, Flammable Liquid, n.o.s. (Triethoxyoctylsilane, Hexyltrimethoxysilane), Class 3, PG II Limited Quantity (\leq 0.5L)

IMDG Classification

UN1993, Flammable Liquid, n.o.s. (Triethoxyoctylsilane, Hexyltrimethoxysilane), Class 3, PG II Limited Quantity (≤ 1L)

Section 15: REGULATORY INFORMATION

Federal Regulations

Canadian: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

US: MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200).

SARA Title III

Ingredient	Section 302	Section 304	CERCLA	Section
	(EHS) TPQ (lbs.)	EHS RQ (lbs.)	RQ (lbs.)	313
Triethoxyoctylsilane	Not listed.	Not listed.	Not listed.	Not listed.
Hexyltrimethoxysilane	Not listed.	Not listed.	Not listed.	Not listed.
Titanium tetrabutanolate	Not listed.	Not listed.	Not listed.	Not listed.
Methyl alcohol	Not listed.	Not listed.	5,000	313
n-Butyl alcohol	Not listed.	Not listed.	5,000	313



Aqua Mix Enrich-n-Seal

State Regulations

California Proposition 65:

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

Global Inventories

Ingredient	Canada DSL/NDSL	USA TSCA
Triethoxyoctylsilane	DSL	Yes.
Hexyltrimethoxysilane	NDSL	Yes.
Titanium tetrabutanolate	DSL	Yes.
Methyl alcohol	DSL	Yes.
n-Butyl alcohol	DSL	Yes.

All ingredients are on DSL/NDSL and TSCA inventories or are exempt from listing.

HMIS - Hazardous Materials Identification System

Health - 2* Flammability - 3 Physical Hazard - 1 PPE - B

NFPA - National Fire Protection Association:

Health - 2 Fire - 3 Reactivity - 1

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

WHMIS Classification(s):

Class B2 - Flammable Liquid

Class D2A - Teratogenicity and Embryotoxicity

Class D2B - Skin/Eye Irritant

WHMIS Hazard Symbols:





SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

OSHA (O) Occupational Safety and Health Administration.

ACGIH (G) American Conference of Governmental Industrial Hygienists.

A1 - Confirmed human carcinogen.

A2 - Suspected human carcinogen.

A3 - Animal carcinogen.

A4 - Not classifiable as a human carcinogen.

A5 - Not suspected as a human carcinogen.

IARC (I) International Agency for Research on Cancer.

1 - The agent (mixture) is carcinogenic to humans.

2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.

2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.

3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.

4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

NTP (N) National Toxicology Program.

1 - Known to be carcinogens.

2 - Reasonably anticipated to be carcinogens.



Aqua Mix Enrich-n-Seal

Section 16: OTHER INFORMATION

Disclaimer:

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Expiry Date: December 21, 2015

Version #: 3.2